

K-3



Quality cable cutter at low price with a wide range of application.

One hand

It has a, for a long time proven ratchet drive.

All steel parts are hardened.

Quick blade release allows fast backout in any position.

Can be used even in confined areas

Technical data

Length:	9,84 in
Width of head:	5,91 in
Weight:	1,65 lbm
CutWidth:	1,34 in
CutHeight:	1,34 in
CrossSection:	500 mcm
Handles:	Polypropylen
Surface:	brown-finished
OrderNumber:	33000

K-4



Very solid and easy to use quality cable cutter with a wide range of application.

One and two hand

It has got a for a long time proven, ratchet drive.

All steel parts are hardened.

Quick blade release allows fast backout in any position.

Can be used even in confined areas

Technical data

Length:	12,60 in
Width of head:	5,71 in
Weight:	2,20 lbm
CutWidth:	2,05 in
CutHeight:	2,05 in
CrossSection:	750 mcm
Handles:	Polypropylen
Surface:	brown-finished
OrderNumber:	44000

KS-34


Very solid and easy to use quality cable cutter with a wide range of application.

One hand

It has got a for a long time proven, needle-roller bearing ratchet drive.

All steel parts are hardened.

Quick blade release allows fast backout in any position.

Can be used even in confined areas

Technical data

Length:	9,84 in
Width of head:	4,33 in
Weight:	1,98 lbm
CutWidth:	1,38 in
CutHeight:	1,38 in
CrossSection:	600 mcm
Handles:	Polypropylen
Surface:	brown-finished
OrderNumber:	34000

KS-52


Very solid and easy to use quality cable cutter with a wide range of application.

Blades made out of chrome - nickel steel.

It has got a for a long time proven, needle-roller bearing ratchet drive.

All steel parts are hardened.

Quick blade release allows fast backout in any position.

Can be used even in confined areas.

Technical data

Length:	12,80 in
Width of head:	5,71 in
Weight:	2,65 lbm
CutWidth:	2,05 in
CutHeight:	2,05 in
CrossSection:	1000 mcm
Handles:	Polypropylen
Surface:	brown-finished
OrderNumber:	52000

KT-45


Available only in USA

Very solid and easy to use quality cable cutter with a wide range of application.

It has got a for a long time proven, needle-roller bearing ratchet drive.

Blades made out of chrome - nickel steel, parts are hardened.

Quick blade release allows fast backout in any position.

Can be used even in confined areas.

Technical data

Length:	10,24 in
Width of head:	4,33 in
Weight:	2,07 lbm
CutWidth:	1,77 in
CutHeight:	1,77 in
CrossSection:	600 mcm
Handles:	Polypropylen
Surface:	brown-finished
OrderNumber:	45000

KS-42s


Verry stable cutter, best tool-size - cut-range relation.

Drop forged blade, suitable for harder Cu and Al conductors like Almelec.

Spezial blade geometrie. The patentet arrangement needs allmost no service.

All moving parts special hardened.

Quick blade release allows fast backout in any position.

Can be used even in confined areas.

Technical data

Length:	9,84 in
Width of head:	4,33 in
Weight:	2,20 lbm
CutWidth:	1,65 in
CutHeight:	1,65 in
CrossSection:	600 mcm
Handles:	Polypropylen
Surface:	brown-finished
OrderNumber:	42000

KS-62


Very solid and easy to use quality cable cutter with a wide range of application.

Blades made out of chrome - nickel steel.

It has got a for a long time proven, needle-roller bearing ratchet drive.

All steel parts are hardened.

Quick blade release allows fast backout in any position.

Can be used even in confined areas.

Technical data

Length:	16,14 in
Width of head:	6,30 in
Weight:	4,41 lbm
CutWidth:	2,44 in
CutHeight:	2,44 in
CrossSection:	1500 mcm
Handles:	Polypropylen
Surface:	brown-finished
OrderNumber:	62000

KS-62hd


Very solid and easy to use reinforced cable cutter, with a wide range of application.

Blades made out of chrome - nickel steel.

It has got a for a long time proven, needle-roller bearing ratchet drive.

All steel parts are hardened.

Quick blade release allows fast backout in any position.

Can be used even in confined areas.

Technical data

Length:	16,14 in
Width of head:	6,30 in
Weight:	4,85 lbm
CutWidth:	2,44 in
CutHeight:	2,44 in
CrossSection:	1700 mcm
Handles:	Polypropylen
Surface:	brown-finished
OrderNumber:	64000

KS-80


Very solid and easy to use professional cable cutter with a wide range of application.

Blades made out of chrome - nickel steel.

It has got a for a long time proven, needle-roller bearing ratchet drive.

All steel parts are hardened.

Quick blade release allows fast backout in any position.

Can be used even in confined areas.

Technical data

Length:	24,02 in
Width of head:	7,48 in
Weight:	6,61 lbm
CutWidth:	3,15 in
CutHeight:	3,15 in
CrossSection:	2000 mcm
Handles:	Polypropylen
Surface:	brown-finished
OrderNumber:	80000

DT-75


Special cable cutter for multiple telephone or data cable.

Very low friction, many times proven needle bearing drive. Smooth, clean cut.

Unsuited for sector- installations or other energy cables.

Quick blade release allows fast backout in any position.

Can be used even in confined areas.

Technical data

Length:	14,57 in
Width of head:	6,89 in
Weight:	3,31 lbm
CutWidth:	2,95 in
CutHeight:	2,95 in
CrossSection:	600 mcm
Handles:	Polypropylen
Surface:	brown-finished
OrderNumber:	75000

C-1



Cable shear Open C-type

Compact one - handed tool with low friction and solid technical drive, for the daily application.

Blade with needle bearing.

Quick blade release allows fast backout in any position.

Can be used even in confined areas.

Technical data

Length:	9,65 in
Width of head:	3,94 in
Weight:	1,98 lbm
CutWidth:	0,98 in
CutHeight:	0,98 in
CrossSection:	400 mcm
Handles:	Polypropylen
Surface:	brown-finished
OrderNumber:	21000

C-2



Cable shear Open C-type

One - and two - handed tool with its extended cutting area.

Blade with needle bearing.

Quick blade release allows fast backout in any position.

Can be used even in confined areas.

Technical data

Length:	12,99 in
Width of head:	5,36 in
Weight:	2,87 lbm
CutWidth:	1,42 in
CutHeight:	1,42 in
CrossSection:	500 mcm
Handles:	Polypropylen
Surface:	brown-finished
OrderNumber:	23000

C-3



Cable shear Open C-type

One - and two - handed cable cutter with needle bearing drive, very low friction.

Cuts smooth and clean - no crushing.

Blade and ratched drive with needle bearing.

Quick blade release allows fast backout in any position.

Can be used even in confined areas.

Technical data

Length:	12,99 in
Width of head:	5,36 in
Weight:	3,09 lbm
CutWidth:	1,42 in
CutHeight:	1,42 in
CrossSection:	600 mcm
Handles:	Polypropylen
Surface:	brown-finished
OrderNumber:	25000

C-4



Cable shear Open C-type

Biggest version, this tool separates also cable with thin sheet metal coating.

Cuts also very fine wires like welder cable without deformation.

Blade and ratched drive with needle bearing.

Quick blade release allows fast backout in any position.

Can be used even in confined areas.

Technical data

Length:	19,09 in
Width of head:	7,68 in
Weight:	6,61 lbm
CutWidth:	2,17 in
CutHeight:	2,17 in
CrossSection:	1000 mcm
Handles:	Polypropylen
Surface:	brown-finished
OrderNumber:	27000